Chief Secretary's Office, Adelaide, July 11th, 1893.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. H. Gordon, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of May, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five	1893.									Total for		
*Population, May 1st	304,875	307,267	;310,398	315,173	323,109	Years.	334,930							1893.				
Births	1,002	938	963	920	999	964	849							4,221				
Rate per cent	•329	•305	·310	•292	•309	_	•253											
Death <b>s</b> —				i.			All Ages.	Under 1 year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- tied causes of Death.	
All causes,	374	305	444	385	310	364	358	103	40	40	47	49	66	13	_	38	15	1,727
Rate per cent	•123	.099	•143	•122	.096	107	_	_	_	_	_	_		_	_	_	_	
Diseases—  I. Specific Febrile or Zymotic II. Parasitic III. Dietic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and	69 3 6 52 37 151 29	59 1 4 40 34 119	96 2 7 62 52 177 19	53 2 3 55 44 167 18	47 		62 3 47 33 149 22	24 	10 - 3 1 20 1	13 - 7 - 13 4	7 - 14 - 18 8	3 - 7 - 33 5	5 - 9 17 31 4					
not specified causes	27	36	29	43	22	_	42	33	5	3		1	_	_	_	_	_	

\* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also o the number of the aborigines. 

† Not certified by qualified practitioners.

## Causes of Deaths registered in the Month of May, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and bove.
I,								
Measles	-	-	V.			Diseases of locomotive sys-		
Scarlet fever	_	-	Premature birth	5	_ [	tem	100	2
Relapsing fever	-	- ii	Cyanosis		_	Diseases of integumentary		-
Influenza	_	6	Congenital defects,	3	1	system	1	_
Whooping-cough	6	1	Old age	_	24	VII.		1
Diphtheria		12	VI.	1		(Accident.)		
Simple and ill-defined fever			Apoplexy	_	8	Fracture and contusion		6
Enteric fever	-	9	Epilepsy		3	Gunshot wound		2
Simple cholera	-		Convulsions	13	3	Cut, stab		
Diarrhœa, dysentery	16	7	Other diseases of brain and			Burn and scald	1450	
Remittent fever	-	_	nervous system	4	20	Poison		3
Venereal affections	1		Diseases of organs of special			Drowning		2
Erysipelas		2	sense		1	Suffocation	1	-
Pyæmia and septicæmia	1	-	Diseases of circulatory sys-			Otherwise	1000	2
Puerperal fever		1	tem	1	20	(Homicide.)	1	
Other zymotic diseases	-	-	Croup	-	3	Murder and manslaughter		1
II.			Bronchitis	3	3	Justifiable homicide		1
Thrush			Pneumonia	1	. 13	(Suicide.)		
Worms and other parasitical			Pleurisy	_	1	Gunshot wound		1
diseases	-	-	Other diseases of respiratory			Cut, stab	1	1
III.			system	1	7	Poison	_	1
Privation—want of breast milk	3		Dentition	3	5	Drowning	9000	1
Alcoholism	-	3 -00-7	Quinsy, sore throat	-		Hanging	Contract of	1
IV.		1	Enteritis	1	3	Otherwise	1	
Rheumatic fever and rheuma-			Peritonitis	1	1	VIII.		
tism of heart	-	1	Diseases of liver	-	4	Dropsy	- 100	
Rheumatism		1	Other diseases of digestive		The state of the s	Debility, atrophy, inanition	29	7
Gout		1	system	1 _55	4	Mortification		
Cancer, malignant disease	-	7	Diseases of lymphatic sys-			Tumor	58	1
Tabes mesenterica	1	1	tems and of ductless glands	_	-	Abscess	1	1
Tubercular meningitis	1	4	Diseases of urinary system	_	13	Hæmorrhage	-	
Phthisis	1	21	Diseases of generative sys-		1	Sudden, cause unascertained	1	1
Scrofula, tuberculosis	3	2	tem		3	Other ill-defined and not		
Other constitutional diseases		3	Accidents of childbirth	_	3	specified causes	3	1

Return of Births and Deaths registered in the City of Adelaide in the Month of May, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five					1	393.						Total
Population, Jan. 1st	36,219	36,400	37,189	37,727	38,240	Years.					39,	073						for 1893.
Births	109	104	101	98	89	100						97						482
Rate per cent	-301	•286	•272	•260	•233		·248											
Deaths—							All Ages.	Under I year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	77	71	110	81	63	80	68	18	4	3	14	14	12	3	_	2	_	389
Rate per cent	•213	•195	•296	•215	·165		·174					_		_	_			
Diseases—  I. Specific Febrile or Zymotic II. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	15 1 3 15 8 26 5	15 1 1 10 8 26 4	19 1 23 15 43 4	9 1 1 15 9 37 3	9  6 14 24 3		13 	6 - 2 - 6 - 2	21		3 - 5 - 5 1	1 - 1 11 1	1 - 2 5 4	2 1				

## \*Including inquests. +Not certified by qualified practitioners. \*Causes of Deaths registered in the Month of May, 1893.

	)		es of Deaths registered in the M					
	Under	One Year		TIm day	One Year		TI 3	O V
	One	and		Under	and		Under	One Year
	Year.	Above.		Year.	Above.		Year.	Above.
					-			
T								
I.		)	9 91 41 1 1			4 .1 4 6 1 .1 11 . 41		-
Measles	_		Scrofula, tuberculosis			Accidents of childbirth		$\frac{1}{2}$
Scarlet fever			Other constitutional diseases			Diseases of locomotive system	-	2
Relapsing fever			V.			Diseases of integumentary		
Whooping-cough	1	1	Premature birth			system	-	_
Diphtheria		_	Cyanosis			VII. (Accident.)		
Simple and ill-defined fever	_		Congenital defects	2		Fracture and contusion		
Enteric fever	_	3	Old age		7	Gunshot wound	_	
Simple cholera	_	_				Cut, stab		_
Diarrhœa, dysentery	4	3	VI.	3 1 4 4 8		Burn and scald	97	_
Remittent fever		v	Apoplexy	_	2	Poison		2
Venereal affections	1		Epilepsy			Drowning		_
Erysipelas	_		Convulsions	2	1	Suffocation	-	_
Pyæmia and septicæmia			Other diseases of brain and			Otherwise	-	_
Puerperal fever	_		nervous system		3			8. 4
Other zymotic diseases	-		Diseases of organs of special			(Homicide.)		
			sense		1	Murder and manslaughter		11196
Thrush			Diseases of circulatory system	-	5	(Suicide.)		75
Illiusii	-		Croup	-	-	Gunshot wound		-)0
Worms and other parasitical			Bronchitis	1	-	Cut, stab	_	-
diseases	_	3 - 2	Pneumonia	_	3	Poison	-	_
TTT			Pleurisy		-	Drowning	_	_
III.			Other diseases of respiratory			Hanging		
Privation—want of breast milk	2	_	system	-	1	Otherwise	-	-
Alcoholism	_	_	Dentition	1	_	TITT		
IV.			Quinsy, sore throat	-	- X	VIII.		
Rheumatic fever and rheuma-	411		Enteritis	1	-	Dropsy	2	2
tism of heart	1		Peritonitis	1		Debility, atrophy, inanition		4
Rheumatism		1	Diseases of liver Other diseases of digestive		1	Mortification	_	
Gout		1	system			Tumor	_	
Cancer, malignant disease		1	Diseases of lymphatic sys-	-	-	Abscess		_
Tabes mesenterica	_	_	tems and of ductless glands			Hæmorrhage Sudden, cause unascertained	_	_
Tubercular meningitis	n market	1	Diseases of urinary system	_	2	Other ill-defined and not		
Phthisis	_	5	Diseases of generative system		1	specified causes	_	_
			2 33 cases of generally esystem		1	specified causes		

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of May, 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonneli.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7.4
Births Male Female	97 52 45	18 6 12	9 6 3	27 15 12	30 18 12	5 3 2	8 4 4
Deaths	61 29 32	13 5 8	13 4 9	14 6 8	14 9 5	4 2 2	3
CLASSES.  1. Specific Febrile or Zymotic Diseases.  11. Parasitic Diseases  11. Dietic Diseases.  12. Constitutional Diseases  23. V. Developmental Diseases  24. Local Diseases  25. Vi. Local Diseases  26. Vii. Violence.  27. Viii. Ill-defined and not specified causes	12 2 9 7 26 1 4	1 1 3 3 4 —	2  2  9 	6 1 1 5 -1	2 - 2 2 6 1 1	1 - 1 - 2 -	
Percentage of Deaths to population of each Ward	•156	•209	-189	.173	.149	•109	.062

Causes of Deaths registered in the Month of May, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		5	Accidents of childbirth		1
Measles	_	_	Scrofula, tuberculosis		_	Diseases of locomotive system		2
Scarlet fever	-	_	Other constitutional diseases.	_	_	Diseases of integumentary		
Relapsing fever	-	_				system	-	-
Influenza	-		V.					1
Whooping-cough	1	1	Premature birth	-	_			
Diphtheria	-	_	Cyanosis	-	_	VII.		
Simple and ill-defined fever	-	_	Congenital defects	2	_	(Accident.)		
Enteric fever	-	2	Old age	_	5	Fracture and contusion		
Simple cholera		1 -	777			Gunshot wound		
Diarrhœa, dysentery	4	3	VI.			Cut, stab	_	-
Remittent fever		_	Apoplexy	_	2	Burn and scald		
Venereal affections	1	_	Epilepsy	_	_	Poison	-	1
Erysipelas	-		Convulsions	2	1	Drowning	-	
Pyæmia and septicæmia	-	_	Other diseases of brain and			Suffocation	-	
Puerperal fever	-		nervous system	_	2	Otherwise		
Other zymotic diseases			Diseases of organs of special			(Homicide.)		
II.			sense		_	Murder and manslaughter	-	-
			Diseases of circulatory system	_	4	(Suicide.)		
Thrush		-	Croup	1	_	Gunshot wound	-	
Worms and other parasitical			Bronchitis	1	3	Cut, stab	_	-
diseases	_		Pneumonia		٥	Poison	_	-
III.			Pleurisy	_		Drowning	_	
Privation — Want of breast	1	i	Other diseases of respiratory		1	Hanging	1 —	
milk	2		system	1	1	Otherwise		
lcoholism	_	_	Dentition	1	-	VIII.		
Alcoholishi			Quinsy, sore throat	1				
IV.			Enteritis Peritonitis	1	_	Dropsy	_	-
Rheumatic fever and rheu-			Diseases of liver	1	1	Debility, atrophy, inanition Mortification	2	2
matism of heart			Other diseases of digestive		1	Tumor	-	-
Rheumatism	_	1				Tumor		
Fout	_	1	system Diseases of lymphatic systems		_	Abscess		-
Cancer, malignant disease		1	and of ductless glands			Hæmorrhage		
Tabes mesenterica	_	_		_	2	Sudden, cause unascertained.		
Subercular meningitis	_	1	Diseases of urinary system	_	1	Other ill-defined and not spe-		
ductionial meningrus		1	Diseases of generative system	-	1	cified causes	-	)

G. H. AYLIFFE, Registrar-General of Births and Deaths.

## MAY, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 77°·1 on the 25th; and the lowest, 43°·8, on the 19th. The mean temperature of the month was 59°·1.

The greatest range of the thermometer in one day, 22°·7, took place on the 23rd, viz., from a maximum of 70°·4 to a minimum of 47°·7; the lowest range, 7°·1, on the 27th.

The mean height of the barometer was 29·844 inches; the maximum, 30·262 inches, occurred on the 18th; and the minimum, 29·337 inches, on the 29th.

on the 29th.
Observatory, Adelaide, June 3rd, 1893.

C. Todd, Observer.